This listing of claims will replace all prior versions, and listings, of claims in the application:

Claim 1 (canceled)

Claim 2 (currently amended): The method of claim 4 ~~1~~ wherein the position information includes coordinate information.

Claim 3 (currently amended): The method of claim 4 ~~1~~ wherein the position information includes change of position information.

Claim 4 (currently amended): A method comprising:

a) capturing a plurality of image parts;

b) determining position information corresponding to each of the plurality of image parts; and

c) generating image information using, at least, the plurality of image parts and the corresponding position information,

~~The method of claim 1~~ wherein the act of capturing a plurality of image parts includes focusing light reflected from a surface onto an ~~imaging~~ image pickup device, and

wherein the act of determining position information includes accepting, by the ~~imaging~~ image pickup device, light reflected from the surface.

Claim 5 (original): The method of claim 4 wherein the light reflected from the surface is emitted from a single light source.

Claim 6 (currently amended): The method of claim 4 wherein the light reflected from the surface is emitted from a first light source and a second light source,

wherein the light emitted from the first light source and reflected from the surface onto the ~~imaging~~ image pickup device is used in the act of capturing a plurality of image parts, and

wherein the light emitted from the second light source and reflected from the surface onto the ~~imaging~~ image pickup device is used in the act of determining position information.

Claim 7 (original): The method of claim 6 wherein the light emitted from the first light source has a larger angle of incidence with the surface than the light emitted from the second light source.

Claim 8 (currently amended): A method comprising:

a) capturing a plurality of image parts;

b) determining position information corresponding to each of the plurality of image parts; and

c) generating image information using, at least, the plurality of image parts and the corresponding position information,

~~The method of claim 1~~ wherein the act of capturing a plurality of image parts includes focusing light reflected from a surface onto a first ~~imaging~~ image pickup device, and

wherein the act of determining position information includes focusing light reflected from the surface onto a second ~~imaging~~ image pickup device.

Claim 9 (original): The method of claim 8 wherein the light reflected from the surface is emitted from a single light source.

Claim 10 (currently amended): The method of claim 8 wherein the light reflected from the surface is emitted from a first light source and a second light source,

wherein the light emitted from the first light source and reflected from the surface onto the ~~imaging~~ first image pickup device is used in the act of capturing a plurality of image parts, and

wherein the light emitted from the second light source and reflected from the surface onto the ~~imaging~~ second image pickup device is used in the act of determining position information.

Claim 11 (original): The method of claim 10 wherein the light emitted from the first light source has a larger angle of incidence with the surface than the light emitted from the second light source.

Claim 12 (original): Apparatus comprising:

a) means for capturing a plurality of image parts;

b) means for determining position information corresponding to each of the plurality of image parts; and

c) means for generating image information using, at least, the plurality of image parts and the corresponding position information.

Claim 13 (original): The apparatus of claim 12 wherein the position information includes coordinate information.

Claim 14 (original): The apparatus of claim 12 wherein the position information includes change of position information.

Claim 15 (original): The apparatus of claim 12 wherein the position information includes orientation information.

Claim 16 (original): The apparatus of claim 12 wherein the position information includes acceleration information.

Claim 17 (original): The apparatus of claim 12 wherein the position information includes velocity information.

Claim 18 (original): The apparatus of claim 12 wherein the means for capturing a plurality of image parts includes

1) a light source, and

2) an imaging device, and

wherein the means for determining position information includes

1) the light source, and

2) the imaging device.

Claim 19 (original): The apparatus of claim 12 wherein the means for capturing a plurality of image parts includes

1) a first light source, and

2) an imaging device, and

wherein the means for determining position information includes

1) a second light source, and

2) the imaging device.

Claim 20 (original): The apparatus of claim 12 wherein the first light source and the second light source emit light that illuminates a surface, and

wherein the light emitted from the first light source has a larger angle of incidence with the surface than the light emitted from the second light source.

Claim 21 (original): The apparatus of claim 19 wherein the second light source is a light emitting diode.

Claim 22 (original): The apparatus of claim 19 wherein the second light source is an infra-red light emitting diode.

Claim 23 (original): The apparatus of claim 19 wherein the second light source is a tunable light source able to modulate at least one of wavelength, polarization, and amplitude.

Claim 24 (original): The apparatus of claim 12 wherein the means for capturing a plurality of image parts includes

1) a light source, and

2) a first imaging device, and

wherein the means for determining position information includes

1) the light source, and

2) a second imaging device.

Claim 25 (original): The apparatus of claim 12 wherein the means for capturing a plurality of image parts includes

1) a first light source, and

2) a first imaging device, and

wherein the means for determining position information includes

1) a second light source, and

2) a second imaging device.

Claim 26 (new): The method of claim 4 wherein the image parts are captured from a paper document, and

wherein the act of generating image information using, at least, the plurality of image parts and the corresponding position information uses the image parts to compose a larger image.

Claim 27 (new): The method of claim 8 wherein the image parts are captured from a paper document, and

wherein the act of generating image information using, at least, the plurality of image parts and the corresponding position information uses the image parts to compose a larger image.